

# MATERIAL SAFETY DATA SHEET

(COMPLIES WITH 29CFR 1910.1200)

<b>SECTION I - CHEMICAL PRODUCT &amp; COMPANY IDENTIFICATION</b>		
Identity (As Used on Label and List): Multi-Stat Finish Product Class: Water-borne floor polish Emergency Telephone Number: 800-255-3924 Telephone Number for Information: 651-481-1900 Manufacturer's Name and Address: Multi-Clean® 600 Cardigan Road Shoreview, MN 55126		
<b>SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS</b>		
Hazardous Components (Specific Chemical Identity):		
Chemical	Common Name(s) %	
A	Emulsified acrylic polymer (proprietary) 10 - 30	
B	Diethylene glycol monoethyl ether CAS #111-90-0 3 - 7	
C	Tributoxyethyl phosphate CAS #78-51-3 1 - 5	
D	Acrylic terpolymer resin 1 - 5	
E	Emulsified polymer wax 1 - 5	
F	Water 60 - 100	
G	Dipropylene glycol methyl ether CAS #7732-18-5 CAS #34590-94-8 1 - 5	
<b>SECTION III - HAZARDS IDENTIFICATION</b>		
Emergency Overview		
Appearance and Odor: Milky white liquid, mild acrylic odor		
Primary Hazards: Irritant		
Potential Health Hazards		
Route(s) of Entry:	Skin Absorption: X Ingestion: X Inhalation: X	
Eye:	May cause irritation on contact.	
Skin:	May cause irritation on prolonged or repeated contact.	
Ingestion:	May be harmful if swallowed.	
Inhalation:	No effects expected.	
Signs and Symptoms of Exposure:	Irritation on direct contact.	
Carcinogenicity:	NTP? No IARC Monographs? No	
OSHA Regulated?	No	
Target Organ (s):	Skin, eyes, respiratory system. See Health Hazards Chronic.	
Medical Conditions Generally Aggravated by Exposure:	N. Av.	
Health Hazards, Chronic:	Overexposure to Dipropylene glycol methyl ether or its components has apparently been found to cause the following effects in laboratory animals, liver abnormalities and kidney damage.	
<b>SECTION IV - FIRST AID MEASURES</b>		
Emergency and First Aid Procedures:		
If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person. Eye Contact: Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention. Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse. Inhalation: If ill effects occur from breathing vapors, remove victim to fresh air, quite, keep warm and contact physician.		
Sources Used: Raw material data, general toxicology from the trade for similar products.		
<b>SECTION V - FIRE FIGHTING MEASURES</b>		
Flammability:	No Autoignition Temperature: N. Ap.	
Flash Point (method used):	None	
Flammable Limits:	N. Ap. LEL UEL	
Extinguishing Media	N. Ap.	
Water?	Foam?	Water Fog?
Alcohol Foam?	CO <sub>2</sub> ?	Dry Chemical?
Vaporizing Liquid?	Other?	
Special Fire Fighting Procedures:	N. Ap.	
Unusual Fire and Explosion Hazards:	N. Av.	
TDG Flammability Classification:	Non-flammable	
Sensitivity to Mechanical Impact:	None	
Sensitivity to Static Discharge:	None	
<b>SECTION VI - ACCIDENTAL RELEASE MEASURES</b>		
Steps to be Taken in Case Material is Released or Spilled:		
Dike and contain spill with inert material (sand, earth, etc). Collect spill with mop, absorbent material (example: floor-dri) or vacuum. Thoroughly rinse affected area with water.		
<b>SECTION VII - HANDLING AND STORAGE</b>		
Precautions to be Taken in Handling and Storing:		
Storage Temperature: Minimum 40°F (4°C); Maximum 100°F (38°C)		
Other Precautions: Keep out of reach of children. Keep from freezing.		
<b>SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION</b>		
Respiratory Protection (Specify Types): Not required		
Ventilation:	Local Exhaust: Not required Special: Not required	
Mechanical (General): Normal good ventilation sufficient.		
Other: Not required		
Protective Gloves: Natural rubber or synthetic.		

Eye Protection:	Approved safety goggles or glasses.	Footwear:	Not required		
Other Protective Clothing or Equipment:	Not required				
Work/Hygienic Practices:	Do not contaminate food or beverages with cleaning chemicals.				
<b>SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS</b>					
Boiling Point:	Approximately 212°F	pH:	9		
Specific Gravity (H <sub>2</sub> O) = 1:	1.034	% Volatile:	75 - 80		
Vapor Density (Air = 1):	> 1	Odor Threshold:	N. Av.		
Evaporation Rate (Butyl Acetate = 1):	N. Av.	Oil/Water Distribution			
Solubility in Water:	Complete	Coefficient:	N. Av.		
Vapor Pressure (MM HG):	N. Av.				
Melting Point:	N. Ap.				
<b>SECTION X - STABILITY AND REACTIVITY</b>					
Stability:	Unstable:	Stable:	X		
Conditions to Avoid:	N. Ap.				
Incompatibility (materials to avoid):	N. Av.				
Hazardous Decomposition or By-products:	N. Av.				
Hazardous Polymerization:	May occur:	Will not occur:	X		
Conditions to Avoid:	N. Ap.				
<b>SECTION XI - TOXICOLOGICAL INFORMATION</b>					
Chemical	OSHA PEL	ACGIH TLV	Recom.	LD50	LC50
A	N. Ap.	N. Ap.	N. Av.	N. Av.	N. Av.
B	N. Ap.	N. Ap.	N. Av.	5,000 mg/kg (rat, oral)	> 200mg/L (1 hr.)
C	None	None	N. Av.	N. Av.	N. Av.
D	None	None	N. Av.	N. Av.	N. Av.
E	None	None	N. Av.	N. Av.	N. Av.
F	None	None	N. Av.	N. Av.	N. Av.
G	100 ppm	100 ppm	N. Av.	5.6 gm/kg (rat, oral)	> 33,000 ppm (rat)
Teratogen, Mutagen, Reproductive Toxin Status:				No	
Toxicologically Synergistic Products:				N. Av.	
<b>SECTION XII - ECOLOGICAL INFORMATION</b>					
Ecotoxicological Information:				N. Av.	
Chemical Fate Information:				N. Av.	
<b>SECTION XIII - DISPOSAL CONSIDERATIONS</b>					
Waste Disposal Method:					
Solution may contain zinc. Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution control ordinances.					
RCRA Hazard Class:				None	
<b>SECTION XIV - TRANSPORT INFORMATION</b>					
Shipping Classification:				Buffing or polishing compound	
UN Number:				N. Ap.	
Packing Group:				N. Ap.	
<b>SECTION XV - PREPARATION DATA</b>					
Prepared By:				Ron Camp	
Telephone Number:				651-481-1900	
Date:				4-12	
<b>SECTION XVI - REGULATORY INFORMATION</b>					
US Federal Regulations					
TSCA Status:				All ingredients listed.	
CERCLA Reportable Quality:				None	
SARA Title III					
Section 302 Extremely Hazardous Chemicals:				None	
Section 311/312 Hazard Category:				Immediate health hazard	
Section 313 Toxic Chemicals:				Dipropylene glycol methyl ether (glycol ether) and Ethylene glycol monoethyl ether (glycol ether)	
State Regulations					
International Regulations					
WHMIS Controlled Product Hazard Class:				D2B	
<b>SECTION XVII - OTHER INFORMATION</b>					
None					
N. Ap. - Not Applicable; N. Av. - Not Available					

## NFPA SYSTEM

1 A. Health Hazard 0 A. Fire Hazard 0 A. Reactivity Hazard

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE, HOWEVER NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. MINUTEMAN INTERNATIONAL, INC. ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.