



# 10 M-C 10 Sanitizer

# Food Contact Surface Sanitizer



- Food Service and Meatroom Sanitation
- Highly Effective No-Rinse Sanitizer
- Highly concentrated formula saves money.
- EPA Registered









# 10 M-C 10 Sanitizer



Multi-Task Dispensing System The unique patented *Multi-Task* container gives you dilution flexibility.



Secure Dispensing Accurately dispenses two or more products from the *Multi-Task* wall mount dispenser at the touch of a button.



**Squeeze and Pour** No equipment required. Simply squeeze the container to measure the desired amount.

*Easy-Fill Gun* Dilutes product at 2.5GPM into RTU container, mop bucket or autoscrubber.

*Flex-4* Wall mount, four product dispenser, dial in and press button.



Electrostatic sprayer

### **Food Service and Meatroom Sanitation**

M-C 10 SANITIZER is a highly effective no-rinse sanitizer recommended in all phases of food processing and in food service.

When washing countertops, display equipment, food processing equipment, refrigerated storage equipment, ice machines and other hard surfaces, it is recommended that the equipment first be cleaned/ degreased with Multi-Clean H.D. HI-FOAM (USDA Classification A-1).

After rinsing with potable water, M-C 10 SANITIZER is then used to sanitize the surface. It may be applied by cloth, brush or sprayer. The surface is then left to air dry. This method ensures proper cleaning and sanitizing.

# Food Contact Surface Sanitizer

**USE FOR:** Sanitizing of food processing equipment, ice machines and other hard non-porous surfaces in food contact locations, restaurants and bars. At 1- 2 oz/ 4 gallons of water (200 -400 ppm active), M-C 10 Sanitizer eliminates 99.999% of the following bacteria in 60 seconds: Aeromonas hydrophila, Listeria monocytogenes, Campylobacter jejuni, Shigella dysenteriae, Clostridium perfringens, Staphylococcus aureus, Enterobacter sakazakii, Streptococcus pyogenes, Escherichia coli, Yersinia enterocolitica, Enterococcus faecalis Vancomycin resistant, Escherichia coli O157:H7, Salmonella typhi, Escherichia coli O111:H8.

# **Non-Food Contact Surface Sanitizer**

At 1/4 oz/gallon of water (200 - 400 ppm quat) with a 3-minute contact time against the following on hard non-porous surfaces: *Enterobacter aerogenes, Staphylococcus aureus.* 

Apply sanitizer use solution to hard, non-porous non-food contact surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or trigger spray device or by immersion so as to thoroughly wet surface to be sanitized. Allow to air dry.

Change cloth, sponge or towels frequently to avoid redeposition of soil. Change the solution at least daily or more often when use solution becomes visibly dirty.



Quat test strips can be used to check the quat ppm level when used in sink basin cleaning, part number 421200.

# Markets

Food Service Education Commercial Retail Day Care Hospitality Contract Services Health Care Churches Property Management



# 10 M-C 10 Sanitizer



Warning & Disclaimer: Results may vary. Multi-Clean chemicals are to be used only by appropriately trained personnel. IMPROPER USE POSES RISK OF PHYSICAL INJURY OR PROPERTY DAMAGE. See appropriate Multi-Clean Method Bulletin for further warnings and information for your application. The suitability of and proper application of this product is the responsibility of the applier. The manufacturer disclaims all warranties, express and implied, including any warranties of MERCHANTABILITY AND FITNESS OF PURPOSE. The manufacturer's liability is limited to replacement of or reimbursement for any product proved defective. No person has authority to waive these disclaimers or make any representations or warranties on behalf of the manufacturer, except in writing signed by the manufacturer.

#### Packaging 4 x 2 liter Bottles 908802



Available USA Only

# **Properties**

 Appearance.
 Water clear, low viscosity liquid, mild odor

 pH......6-8 (10% solution in water)

 Percent Quat.
 10.0% quat (concentrate)

 Hardwater Tolerance.
 Excellent. Effective in water up to 750 ppm hardness, (CaCO3) at 1:512 (200 pm)

 Storage Stability.
 Excellent, 1 year under normal conditons

 Freeze-Thaw Stability.
 Passes 3 cycles

 USDA Classification.
 D2

 Federal Register Reference.
 21CFR 178:1010 (b) (11), (c) (8)

 EPA Reg. No.
 10324-63-5449

 Fragrance & Dyes.
 None

Disposal: waste from normal cleaning procedures may be sewered, depending on the materials being cleaned as well as state, federal and local sewer commission regulations

Use good safety practices: wear rubber gloves & safety goggles when handling cleaning products



600 Cardigan Road Shoreview, Minnesota Phone 651-481-1900 www.multi-clean.com

### **Food Contact Surface Sanitizer**

**USE FOR:** Sanitizing of food processing equipment, ice machines and other hard non-porous surfaces in food contact locations, restaurants and bars. At 1- 2 oz/ 4 gallons of water (200 - 400 ppm active), M-C 10 Sanitizer eliminates 99.999% of the following bacteria in 60 seconds: *Aeromonas hydrophila, Listeria monocytogenes, Campylobacter jejuni, Shigella dysenteriae, Clostridium perfringens, Staphylococcus aureus, Enterobacter sakazakii, Streptococcus pyogenes, Escherichia coli, Yersinia enterocolitica, Enterococcus faecalis Vancomycin resistant, Escherichia coli O157:H7, Salmonella typhi, Escherichia coli O111:H8.* 

# **Directions**

Apply sanitizer use solution to hard, non-porous nonfood contact surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or trigger spray device or by immersion so as to thoroughly wet surface to be sanitized. Allow to air dry.

Change cloth, sponge or towels frequently to avoid redeposition of soil. Change the solution at least daily or more often when use solution becomes visibly dirty.

# Quick Guide

#### Dilution

1:512 (200 - 400 ppm quat, Sanitization) Squeeze n Pour..1/4 oz (7 mL) per gallon of water (200 ppm quat) Yield per 2 liters..271 Gallons RTU (200 ppm quat) Yield per 2 liters..1084 Quarts RTU (200 ppm quat)

#### Uses

For sanitizing hard surfaces

#### Surfaces

Glass, mirrors, countertops, painted metal, stainless steel, plastic, naugahyde, sealed wood.

# Equipment

Sponge, micro fiber, window mop, cloth, E-Spray.

### Restrictions

Use good safety practices: wear rubber gloves & safety goggles when handling cleaning products. See SDS for further information.