

Multi-Clean®
Your Guide to Clean

128 E-FECTicide

***Fast Kill
Disinfectant-Cleaner***



- Hospital Grade Disinfectant
- Concentrate Saves Money.
- Recommended for Spray Application
- EPA List N Approved for Corona Virus.
- Kills SARS-CoV-2 in 1 Minute



128 E-FECTicide



Kills SARS-CoV-2 in 1 Minute

Cleans and Disinfects

128 E-Fecticide disinfectant cleaner is a hospital grade disinfectant for use in hospitals, nursing homes, patient rooms, shower rooms, locker rooms, public restrooms, schools, office buildings, and athletic/recreational facilities, kills viral and bacterial pathogens in 5 minutes. 128 E-Fecticide offers a faster kill time than many disinfectants for common pathogens.

Multi-Clean 128 E-Fecticide Disinfectant Cleaner (EPA Registration No. 6836-365-5449) Kills SARS-CoV-2 in 1 minute on hard, non-porous surfaces.

For more information about the 2019 Novel Coronavirus (COVID-19), refer to the CDC website <https://www.cdc.gov/coronavirus/2019-ncov/index.html> for additional information.

Delivers non-acid disinfectant and cleaning performance in an economical concentrate. Clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

Properties

Appearance	Light Blue/Green Liquid
Fragrance	Lavender Fresh
pH	7 - 8
Activity	1370-5480 ppm Quat
Contact Time	5 Minutes
(Read label for specific times needed to kill specific organisms.)	
Dilution	1:128 (1 - 4 oz/gallon)
Flashpoint	>201 F
Storage Conditions	40 F - 110 F (4 C - 43 C)
Storage Stability	Excellent, 1 year minimum
Freeze-Thaw Stability	Will freeze but is not damaged.
Agitate after thawing.	
EPA Registration Number	6836-365-5449

Kills SARS-CoV-2 in 1 Minute!

Packaging

4 x 2 liter Bottles 902492
4 x 1 Gallon case 902493
55 gallon Drum 902497

For Use On

Use this product on washable hard, nonporous non-food contact surfaces of: Appliances - exteriors, Bathroom fixtures, Cages, Chairs, Desks, Doorknobs, Floors, Foot Spas, Garbage cans, Highchairs, Kennel runs Microwave ovens - exteriors, Toys¹, Walkers, Wheel chairs, Other hard, nonporous surfaces made of: Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, Laminated surfaces, Metal, Plastic [such as polystyrene or polypropylene], Sealed stone, Stainless steel, Upholstery, vinyl and plastic, Woodwork, finished. 1 Rinse toys with clean, potable water after disinfecting.

Directions

Remove heavy soil deposits from surface. Thoroughly wet surface with a use-solution of 1 ounce of concentrate per one gallon of water or equivalent (1:128). The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 5 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. This product is not for use on food contact surfaces.



600 Cardigan Road
Shoreview, Minnesota
Phone 651-481-1900
www.multi-clean.com



128 E-FECTicide is a one-step disinfectant, Bactericidal according to the current AOAC Use Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum, against:

1 Minute Contact Time:

Viruses:

*SARS-Related Coronavirus 2 (SARS-CoV-2) cause of COVID-19
Salmonella enterica [Salmonella]

5 Minute Contact Time:

Bacteria:

Pseudomonas aeruginosa [Pseudomonas]
Salmonella enterica [Salmonella]
Staphylococcus aureus [Staph]
Acinetobacter baumannii [Acinetobacter]
Enterobacter aerogenes
Enterobacter cloacae NDM 1 – Carbapenem Resistant [CRE]
Enterococcus faecalis - Vancomycin resistant [VRE]
Escherichia coli [E. coli]
Escherichia coli O157:H7
Escherichia coli – Extended Spectrum Beta Lactamase producing [ESBL E. Coli]
Escherichia coli NDM-1 - Carbapenem Resistant [CRE]
Klebsiella pneumoniae [Klebsiella]
Klebsiella pneumoniae – Extended Beta Lactamase producing
Klebsiella pneumoniae NDM 1- Carbapenem Resistant [CRE]
Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300)
Staphylococcus aureus - Methicillin-Resistant [MRSA]
Staphylococcus aureus - Vancomycin Resistant – [VRSA]
Streptococcus pyogenes [Strep] [a cause of scarlet fever]

Viruses:

*Adenovirus Type 5
*Hepatitis B Virus [HBV]
*Hepatitis C Virus [HCV]
*Herpes Simplex Virus Type 1
*Herpes Simplex Virus Type 2
*HIV-1 [AIDS virus]
*Human Coronavirus
*Influenza A Virus (H7N9)
*Influenza A virus/ H3N2 [Influenza] [Influenza Virus]
*Norwalk Virus - Norovirus
*Respiratory Syncytial Virus [RSV]
*SARS associated Coronavirus [SARS]
*Vaccinia

Animal Viruses:

Avian Influenza (H5N1)
Feline Calicivirus

Fungi:

Candida albicans

10 Minute Contact Time:

Fungi:

Candida auris [8 oz. per gallon of water]
Trichophyton interdigitale [athlete's foot fungus] [4 oz. per gallon of water]

Animal Viruses:

Canine Parvovirus [8 oz. per gallon]