Multi-Clean[®]

1. Identification

Product Identity: Cohesion Floor Coating Recommended Use: Floor Coating

Producer / Distributor

Multi-Clean 600 Cardigan Road Shoreview, MN 55126

Telephone Number for Information:651-481-1900Emergency Telephone Number:888-255-3924

2. Hazard Identification

GHS Classification:

Skin Sensitization-Category 1 Skin Irritation-Category 3

Label



Signal Word Warning

Hazard Statements:

May cause allergic skin reaction Causes mild skin irritation

Precautionary Statements:

Do not breathe dust/fume/gas/mist/vapors/spray. Waer protective gloves Wash hands thoroughly after handling. Contaminated clothing should not be allowed out of the workplace Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of water if skin irritation or rash occurs. Get medical attention Get medical attention if you feel unwell. Dispose of contents in accordance with local regulations.

3. Composition/Information on Ingredients

Ingredient	CAS Number	Percent by Weight
Diethylene Glycol Monoethyl Ether	111-90-0	3 - 7
Tributoxyethyl Phosphate	78-51-3	1 - 5
Zinc Ammonia Carbonate Complex	38714-47-5	1 - 5

4. First-Aid Measures:

Inhalation: Move to fresh air.

Ingestion: If Swallowed: Rinse mouth with water. Seek medical attention if symptoms occur.

Eye Contact: Flush eyes with running water for several minutes. If irritation persists, obtain medical attention.

Skin Contact: IF ON SKIN: Wash with plenty of water. If skin rash or irritation occurs, get medical attention. Remove contaminated clothing and wash before reuse.

5. Fire Fighting Measures:

Suitable Extinguishing Media:	Not Applicable	
Special Fire Fighting Procedures:	Not Applicable	
Unusual Fire and Explosion Hazards	Not Applicable	

6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8.	Exposure Controls / Personal Prot Exposure Limits: Ingredients None Listed	ection: CAS Number XXXX	Osha PEL XXX	ACGIH TLV XXX	
	Exposure Controls: Engineering Controls: Personal Protective Equipment:	Normal good ventilation is sufficient			
	Eye Protection: Skin Protection: Respiratory Protection:	Approved Safety Goggles or Glasses Chemical Resistant Rubber Gloves Not required, Avoid breathing spray mist			
Э.	Physical and Chemical Properties:				
	Physical State: Liquid Specific Gravity (H2O = 1): 1.038 Solubility: Complete Flammability: None Flash Point: None Boiling Point: > 212° F (100°C)	Appearance:Milky WhiteVapor Pressure (MM HG):Not AvailableVapor Density (Air = 1):> 1Auto Ign TempNot AvailableDecomposition TempNot AvailableFreezing PointNot Available	pH: 8 - 9 %volatile: 75%	Available ot Available	
10.	 Stability and Reactivity: Chemical Stability: Stable Possibility of Hazardous Reactions: None are known Incompatability (Materials to Avoid): None are known Hazardous Decomposition or By-products: None Hazardous Polymerization: Will not Occur Conditions to Avoid: None are known 				
11.	Skin Contact:Causes mild skin irInhalation:None KnownIngestion:May be harmful if sTarget Organ Effects:None knownChronic Effects:None knownAcute Toxicity Values:> 5Oral LD 50> 5	o on direct or prolonged contact ritation. May cause allergic skin reaction wallowed	e allergic skin reactio	n	
	•••	5000 mg/kg apors Considered Non-Toxic			
12.	Bio Accumulative Potential: N Mobility in Soil: N	ot Available ot Available ot Available ot Available			
13.	Disposal Considerations: Solution may contain zinc. For material not used in normal use, Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sanitary sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution control ordinances.				
14.	Transportation Information:UN Number:NoneShipping Name:Buffing ofTransport Hazard Class:NonePacking Group:NoneMarine Pollutant:NO	or Polishing Compound			

15. Regulatory Information:

TSCA Status: All ingredients listed Clean Water Act: None of the chemicals in this product are listed under the CWA Clean Air Act: Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0)) is listed as a hazardous air pollutant (HAP) CERCLA Reportable Quantity: None SARA Title III Information: Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Monoethyl Ether (111-90-0)) State Regulations: None International Regulations: None

California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
Acrylic Copolymer	Withheld	Film Former	Not Applicable
Water	7732-18-5	Diluent	Not Applicable
Acrylic Polymers	Not Available	Film Former	Not Applicable
Diethylene Glycol Monomethyl Ether	111-90-0	Solvent	Not Applicable
Wax Emulsion	Proprietary	Film Former	Not Applicable
tris(2-butoxyethyl) phosphate	78-51-3	Stabilizer	Not Applicable
Ethene Homopolymer	68441-17-8	Film Former	Not Applicable
Ethylene/Propylene Glycol Benzoate Blend	Withheld	Plasticizer	Not Applicable
Biphenyl Disodium Salt	27344-41-8	Optical Brightener	Not Applicable
Isothiazolinone	26172-55-4	Biocide	Not Applicable
Fluorosurfactant	Proprietary	Wetting Agent	Not Applicable
Polydimethylsiloxane Emulsion	Withheld	Defoaming Agent	Not Applicable

16. Other Information:

Prepared By: Joe Anfinsen
Telephone Number: 651-481-1900
Revision Date: 9/2/2022
Supersedes:
This SDS applies to the following Part
Numbers
904047
904045
904043

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



