1. Identification

Product Identity: Decade 100

Recommended Use: Water-borne floor polish

Producer / Distributor

Multi-Clean 600 Cardigan Road Shoreview, MN 55126

Telephone Number for Information: 651-481-1900 Emergency Telephone Number: 888-255-3924



2. Hazard Identification

GHS Classification:

Skin Sensitization-Category 1 Skin Irritation-Category 3

Label

Symbols



Signal Word Warning

Hazard Statements:

May cause allergic skin reaction Causes mild skin irritation

Precautionary Statements:

Do not breathe dust/fume/gas/mist/vapors/spray.

Waer protective gloves

Wash hands thoroughly after handling.

Contaminated clothing should not be allowed out of the workplace

Take off contaminated clothing and wash before reuse.

IF ON SKIN: Wash with plenty of water

if skin irritation or rash occurs. Get medical attention

Get medical attention if you feel unwell.

Dispose of contents in accordance with local regulations.

3. Composition/Information on Ingredients

 Ingredient
 CAS Number
 Percent by Weight

 Diethylene Glycol Monoethyl Ether
 111-90-0
 3 - 7

 Tributoxyethyl Phosphate
 78-51-3
 1 - 5

 Zinc Ammonia Carbonate Complex
 38714-47-5
 1 - 5

4. First-Aid Measures:

Inhalation: Move to fresh air.

Ingestion: If Swallowed: Rinse mouth with water. Seek medical attention if symptoms occur.

Eye Contact: Flush eyes with running water for several minutes. If irritation persists, obtain medical attention.

Skin Contact: IF ON SKIN: Wash with plenty of water. If skin rash or irritation occurs, get medical attention. Remove contaminated

clothing and wash before reuse.

5. Fire Fighting Measures:

Suitable Extinguishing Media: Not Applicable
Special Fire Fighting Procedures: Not Applicable
Unusual Fire and Explosion Hazards Not Applicable

6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:

Exposure Limits:

 Ingredients
 CAS Number
 Osha PEL
 ACGIH TLV

 None Listed
 XXXX
 XXX
 XXX

Exposure Controls:

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection:Approved Safety Goggles or GlassesSkin Protection:Chemical Resistant Rubber GlovesRespiratory Protection:Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid Appearance: Milky White Odor: Mild Acrylic

Specific Gravity (H2O = 1): 1.038 Vapor Pressure (MM HG): Not Available Viscosity Not Available

Solubility:CompleteVapor Density (Air = 1):> 1pH:8 - 9Flammability:NoneAuto Ign TempNot Available%volatile:75%

Flash Point: None Decomposition Temp Not Available LEL / UEL Not Available

Boiling Point: > 212° F (100°C) Freezing Point Not Available Evaporation Rate: Not Available

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known Incompatability (Materials to Avoid): None are known Hazardous Decomposition or By-products: None Hazardous Polymerization: Will not Occur

Conditions to Avoid: None

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes mild skin irritation on contact. May cause allergic skin reaction

Acute Effects:

Eye Contact: May cause irritation on direct or prolonged contact

None are known

Skin Contact: Causes mild skin irritation. May cause allergic skin reaction

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: None known Chronic Effects: None known Acute Toxicity Values:

Oral LD ₅₀ > 5000 mg/kg

Dermal LD ₅₀ > 5000 mg/kg

Inhalation (Vapor) LC 50 Vapors Considered Non-Toxic

12. Ecological Information:

Persistence and Degradability: Not Available
Bio Accumulative Potential: Not Available
Mobility in Soil: Not Available
Aquatic Toxicity: Not Available

13. Disposal Considerations:

Solution may contain zinc. For material not used in normal use, Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sanitary sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution control ordinances.

14. Transportation Information:

UN Number: None

Shipping Name: Buffing or Polishing Compound

Transport Hazard Class: None
Packing Group: None
Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: None of the chemicals in this product are listed under the CWA

Clean Air Act: Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0)) is listed as a hazardous air pollutant (HAP)

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Monoethyl Ether (111-90-0))

State Regulations: None

International Regulations: None

California Cleaning Product Right to Know Act of 2017 (SB 258)

| Raw Material | CAS No | Function | List |
|--|---------------|--------------------|----------------|
| Acrylic Copolymer | Withheld | Film Former | Not Applicable |
| Water | 7732-18-5 | Diluent | Not Applicable |
| Acrylic Polymers | Not Available | Film Former | Not Applicable |
| Diethylene Glycol Monomethyl Ether | 111-90-0 | Solvent | Not Applicable |
| Wax Emulsion | Proprietary | Film Former | Not Applicable |
| tris(2-butoxyethyl) phosphate | 78-51-3 | Stabilizer | Not Applicable |
| Ethene Homopolymer | 68441-17-8 | Film Former | Not Applicable |
| Ethylene/Propylene Glycol Benzoate Blend | Withheld | Plasticizer | Not Applicable |
| Biphenyl Disodium Salt | 27344-41-8 | Optical Brightener | Not Applicable |
| Isothiazolinone | 26172-55-4 | Biocide | Not Applicable |
| Fluorosurfactant | Proprietary | Wetting Agent | Not Applicable |
| Polydimethylsiloxane Emulsion | Withheld | Defoaming Agent | Not Applicable |

16. Other Information:

Prepared By: Mike Tarvin

Telephone Number: 651-481-1900 Revision Date: 6/27/2022

Supersedes: 1/1/2020

This SDS applies to the following Part

Numbers

904497 904495 904493 The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



