

1. Identification:**Product Identity:** Top Court**Recommended Use:** Water-borne wood floor Coating**Multi-Clean®****Producer / Distributor**Multi-Clean
600 Cardigan Road
Shoreview, MN 55126**Telephone Number for Information:** 651-481-1900**Emergency Telephone Number:** 888-255-3924**2. Hazard Identification****GHS Classification:**

Skin Irritation Category 2

Eye Irritation Category 2

Label**Symbols****Signal Word** Warning**Hazard Statements:**

Causes skin irritation.

Causes serious eye irritation.

Precautionary Statements:

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

3. Composition/Information on Ingredients**Ingredient****CAS Number****Percent by Weight**

Aliphatic Polyester Polyurethane Emulsion

Proprietary

60 - 80

Diethylene Glycol Monoethyl Ether

111-90-0

5 - 10

Wax Emulsion

Proprietary

3 - 7

Triethylamine

121-44-8

0.5 - 1.5

4. First-Aid Measures:**Inhalation:** Move to fresh air.**Ingestion:** If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person.**Eye Contact:** Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.**Skin Contact:** Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards** Not Applicable**6. Accidental Release Measures:**

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum.

Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:**Exposure Limits:****Ingredients**

Triethylamine

CAS Number

121-44-8

Osha PEL

25ppm

ACGIH TLV

1ppm

Exposure Controls:**Engineering Controls:**

Normal good ventilation is sufficient

Personal Protective Equipment:**Eye Protection:**

Approved Safety Goggles or Glasses

Skin Protection:

Chemical Resistant Rubber (Neoprene)Gloves

Respiratory Protection:

Not required, An organic vapor mask with dust/mist filter is recommended when spraying product

9. Physical and Chemical Properties:**Physical State:** Liquid**Appearance:** Milky White**Odor:** Mild**Specific Gravity (H₂O = 1):** 1.06**Vapor Pressure (MM HG):** NA**Viscosity:** Not Available**Solubility:** Complete**Vapor Density (Air = 1):** NA**pH:** 8 - 9**Flammability:** None**Auto Ign Temp:** Not Available**%volatile:** 70%**Flash Point:** None**Decomposition Temp:** Not Available**LEL / UEL:** Not Available**Boiling Point:** > 212° F (100°C)**Freezing Point:** Not Available**Evaporation Rate:** Not Available**10. Stability and Reactivity:****Chemical Stability:** Stable**Possibility of Hazardous Reactions:** None are known**Incompatibility (Materials to Avoid):** None are known**Hazardous Decomposition or By-products:** None**Hazardous Polymerization:** Will not Occur**Conditions to Avoid:** None are known**11. Toxicological Information:****Signs and Symptoms of Overexposure:** Causes irritation on contact**Acute Effects:****Eye Contact:** Causes irritation on contact**Skin Contact:** May cause irritation on prolonged contact**Inhalation:** None Known**Ingestion:** May be harmful if swallowed**Target Organ Effects:** None Known**Chronic Effects:** None Known**Acute Toxicity Values:****Oral LD₅₀** > 5000 mg/kg**Dermal LD₅₀** > 5000 mg/kg**Inhalation (Vapor) LC₅₀** > 50 mg/l**12. Ecological Information:****Persistence and Degradability:** Not Available**Bio Accumulative Potential:** Not Available**Mobility in Soil:** Not Available**Aquatic Toxicity:** Not Available

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations.

14. Transportation Information:

UN Number: None
Shipping Name: Paint, Lacquer, or Varnish
Transport Hazard Class: None
Packing Group: None
Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed
Clean Water Act: None of the chemicals in this product are listed under the CWA
Clean Air Act: Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0)) and Triethylamine(121-44-8) are listed as hazardous air pollutants (HAP)
CERCLA Reportable Quantity: Triethylamine(121-44-8) >5000lb
SARA Title III Information:
Section 302 Extremely Hazardous Chemicals: None Listed
Section 311 / 312 Hazard Category: Immediate Health
Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Monoethyl Ether (111-90-0))
 Triethylamine(121-44-8)
State Regulations: None
International Regulations: None

California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
Aliphatic Polyester Polyurethane	Proprietary	Film Former	Not Applicable
Water	7732-18-5	Diluent	Not Applicable
Diethylene Glycol Monoethyl Ether	111-90-0	Solvent	Not Applicable
Polyethylene Wax Emulsion	Proprietary	Film Former	Not Applicable
Polyurethane Solution	Proprietary	Rheology Modifier	Not Applicable
Polyether Modified Siloxane	Proprietary	Wetting Agent	Not Applicable
Polyether/Polyetherpolysiloxane Emulsion	Proprietary	Defoamer	Not Applicable

16. Other Information:

Prepared By: Regulatory Department
Telephone Number: 651-481-1900
Revision Date: 6/11/2025
Supersedes:
 This SDS applies to the following Part Numbers
 909256

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



Health	2
Flammability	0
Physical hazards	0